



SEALANTS / ADHESIVES



Fleetcraft Adhesive Sealant

Bonds to most any substrate surface. Firm skin forms in approximately 3 minutes, with 15 minutes to reposition surfaces. (65-A)

36 11 oz. cartridges per carton

White: Part No. 1100846
Gray: Part No. 1100845



Fleetcraft Silicone Rubber Sealant

A one component room temperature curing silicone elastomeric sealant and adhesive. Does not require addition of activators, stabilizers or catalyst to achieve optimum properties. May be applied to most substrates. Exceptionally resistant to weathering and temperature extremes. (73-A)

24 10.3 oz. cartridges per carton

Clear: Part No. 1190161
White: Part No. 1190162
Aluminum: Part No. 1190163
Black: Part No. 1190168



Fleetcraft Fleet-Bond Adhesive Sealant

Excellent adhesion to many substrates including aluminum, brass, steel, glass, mortar, granite, marble, wood and many plastics. Cures fast over a wide range of temperatures. Non-yellowing. Can be painted with most paints. Contains no solvents; has minimal shrinkage. Conforms to Federal Specification TT-S-00230C, Class A and ASTM C920, Class A. (75-AM)

36 11 oz. cartridges per case

White: Part No. 1100852
Gray: Part No. 1100851



MANUS-BOND



Manus-Bond 501-A

Formulated with a blend of the strongest and most flexible synthetic rubbers. Excellent weather resistance and sealing properties.

36 11 oz. cartridges per carton

White: Part No. 1100843
Gray: Part No. 1100844



MANUS-BOND



Manus 30A

A one component air drying synthetic rubber based sealer. It exhibits excellent weather resistance, sealing capabilities, adhesion to steel, aluminum and wood and retains its flexibility for years.

36 11 oz. cartridges per carton

White: Part No. 1100856
Aluminum: Part No. 1100857

Sikaflex® -221

One of the most popular polyurethane sealant/adhesive in the world.

Adheres to steel, fiberglass, wood, aluminum and a wide variety of other substrates.

(24 - 10.3 U.S. fluid ounce tubes per carton.)

Part No. 221-241 (white)
Part No. 221-242 (gray)



Also Available: **Sikaflex® -252 Part No. 252-241 (white)**

SILAPRENE SELECTION OF SEALANTS / ADHESIVES



North America's Premier Adhesive / Sealant

Bonds virtually all types of metal, plastics, masonry and concrete. For bonding and sealing in the manufacture/repair of transportation vehicles. Use as adhesive or high performance sealant.

24 11 oz. cartridges per carton.

Note: A nonreturnable item.

Gray: Part No. 1100848
White: Part No. 1100849
Super White: Part No. 1100850

Silaprene SolidSeal

is a one-component polyurethane product that cures to form a permanently flexible seal on a wide variety of materials. SolidSeal provides excellent adhesion for many bonding jobs such as adhering trim pieces and bonding interior plywood to wood, steel and aluminum frames and walls.

12 10 oz. cartridges per carton.

Note: A nonreturnable item.


Gray: Part No. 1100415
White: Part No. 1100416

Silaprene Transportation Adhesive / Sealant


is a flexible product that provides good adhesion and an excellent seal in applications that do not require the high strength properties of North America's Premier adhesive / sealant. 12 10 oz. cartridges per carton.

Note: A nonreturnable item.

Gray: Part No. 1100417 White: Part No. 1100419



CAULKING GUN



Industrial Grade

Heavy duty gun with many unique features including tube seal puncture tool, spout cutter and more. Zinc chrome plated.

Part No. 1100800



ROOF SEALANTS AND FLOOR RESTORE

LUMA-SHIELD



Brush Grade Aluminum Coating

Covers 50-100 square feet over uncoated metal roofs.

4 1 gallon cans per case

Part No. 1013476

MANUS-BOND



Manus-Bond 65-H

A quick-dry roof seal. Needs no primer. Adheres to stainless steel, bare aluminum, wood, and other nonferrous metals. Exceptionally resistant to weathering and temperature extremes.

4-1 gallon cans

Gray: Part No. 1013479


Manus-Bond 65-C

Brush grade aluminum roof sealant.

4-1 gallon cans per case.

Gray: Part No. 1013478

SMOKE BOMB



Smoke Bomb

The Superior™ smoke bomb generates 40,000 cubic feet of whitish gray smoke while burning from two to three minutes. Used as a leak tester for van trailers.

Part No. 3C-SMOKE

KEY POLYMER

CORPORATION

Solvent-Free V.O.C. Free Floor Restore

A state of the art 100% solid product that meets today's safety and environmental concerns with the same durability and ease of application that Floor Restore users are accustomed to. This lightweight, flexible epoxy system fills gouges, small cracks, delaminations, and waterproofs the entire floor.

Depending on floor condition, one kit will cover one 48 foot, or 53 foot 102" wide floor.

Kit No. EC1055AB (48')

Kit No. EC53AB (53')

For Greater Slip: High Gloss Solvent-Free Kit for Furniture Vans

The only tools required are a window squeegee and a high quality thin nap paint roller.

Covers 48 foot, 102" wide floor.

Part No. KEY-87269AB-FVFK

When applied properly, Floor Restore has a slip characteristic similar to that of a new wooden floor. You can easily adapt Floor Restore to suit your needs.



Crack Filler

Key Epoxy Crack Filler is used whenever a damaged floor is being prepared for full restoration with Floor Restore. Crack Filler is specifically designed to fill deep gouges and holes that run through the trailer floor showing daylight. Comes w/ gloves, scraper, stir stick and A and B compound.

One quart unit:

Part No. FP100-QT

Three 1 quart unit pack:

Part No. FP100-BULK



FRP Quick Patch Epoxy

Repairs FRP sidewalls and plastic reefer liners. Small damage easily repaired to prevent structure damaging rot. Comes w/ gloves, scraper, stir stick and A and B compound. **Part No. QP300-QT**



SEAL-GAP

Seal-Gap

Seals seams, rivets, patches and skylights. Applies to wet or dry surface.

Non-hardening rubber base.

Can be painted.

New improved formula.

4 One gallon cans per case

Part No. 1013477





FROTH-PAK® POLYURETHANE FOAM SYSTEMS

FROTH-PAK® 12 Kit 308900



Density (PCF) **Theoretical Yield*** **Part No. FP12KIT**
1.75 12 Board feet
 1 Cubic Foot (FROTH-PAK 12 Kit)

Contents

FROTH-PAK 12 Kit Standard:

1 A Can
1 B can
2 spray nozzles with 24" hoses,
1 pinch clamp per kit



FROTH-PAK® 180 Kit 307244



Density (PCF) **Theoretical Yield*** **Part No. FP180**
1.75 200 Board feet
 16.6 Cubic Foot (FROTH-PAK 180)

Contents

FROTH-PAK 180 Kit: 1 A and 1 B Cylinder
6 NS Spray Nozzles
4 GG Spray Nozzles
1 7 1/2' Gun Hose Assembly (GHA)
1 wrench
1 Petroleum Jelly Packet



FROTH-PAK® 600 Kit 30FK214



Density (PCF) **Theoretical Yield*** **Part No. FP600**
1.75 600 Board feet
 50 Cubic Foot (FROTH-PAK 600)

Contents

FROTH-PAK 600A: 1 A Cylinder
308273
FROTH-PAK 600B: 1 B Cylinder
308261
INSTA-FLO GHA-15: 10 NS Spray Nozzles
158398 1 15' Gun Assembly (GHA)
 1 wrench
 1 Petroleum Jelly Packet



*The theoretical yield listed has become an industry standard for identifying certain sized of two components kits in relation to their general output of mixed foam. Theoretical yield would be perfect in laboratory conditions, without taking into account loss of blowing agent, off-ratio foam, varying temperature and humidity conditions and other impacters on the ability to obtain optimum foam reproduction from liquid chemical in the kits. You will no doubt obtain less than the theoretical yield amount.



TAPE PRODUCTS

INSULATION TAPE / PROTECTIVE TAPE is a transparent tape used to help prevent the corrosion that occurs when aluminum and steel are joined. Use between steel crossmembers and aluminum rails or anywhere aluminum and steel come together.

4" Wide Part No. 1100865 (18/case)

6" Wide Part No. 1100866 (12/case)



Aluminum Repair Tape

Aluminum foil face with adhesive sealant on back.

Use on roof or sidewall repair.

Part numbers describe size in width (inches) and length (feet).



Part No. 3X50

Part No. 4X50

Part No. 4X50WH (White)

Part No. 6X50

FOAM TAPE

A self adhesive tape for sealing the seams where trailer side panels overlap.
1/8" x 7/8" x 75'.

Part No. 1059611
(20/box)




ROOF BOW TAPE

A 100% solid cross linked butyl tape. It never hardens or loses its flexibility. Exceptional resistance to weathering and temperature extremes.

1/16" X 3/4". 16 100' rolls per case.

Part No. 1059610



MASKING TAPE

General Purpose Masking Tape.

2" Wide

60 yard roll.

Part No. 1100900



ELECTRICAL TAPE

Part No.

10200ET

10 in a sleeve



Scotch® Super 33+ Vinyl Electrical Tape
Part No. SUPER33

Professional use 7-mil, flame retardant, weather resistant tape.

Resists temperature and moisture for splicing.

Meets requirements of UL 510, HHI-595, CSA 22.2.

-18°C to 105 °C.

3/4" x 66 ft.



DUCT TAPE

2" x 60 yards.

Part No.

1100901

(24 / case)



TEFLON TAPE

Pipe Thread Tape

1/2" x 7 yards

Part No.

1100902

(200 / box)



3M



CYCLO HEAVY DUTY PRODUCTS - CLEANERS

Brake & Parts Clean

Brake & Parts Clean Pro Strength

- Fastest most effective cleaner
- Extra fast drying
- Nonflammable blended chlorinated formula

12 18 oz cans per case.
Part No. C-32




Brake Cleaner - Low Odor

Professional Low Odor formula

- Excellent cleaner
- Metal surfaces, CV joints, clutches, brakes.
- Non-Chlorinated.

Note: This formula is flammable.

12 14 oz cans per case
Part No. C-108C



Brake & Parts Clean

Brake & Parts Clean Pro Strength Non-Chlorinated

- Extra fast dryer and super strong cleaner
- Eliminates chlorinated solvent concerns in waste oil disposal

Note: This formula is flammable

12 15 oz. cans per case
Part No. C-111C



Electric Motor Cleaner

Pro Strength

- Cleans and degreases electrical systems, starters, generators, alternators, solenoids and equipment
- Evaporates quickly & completely
- Nonflammable

12 18 oz. cans per case
Part No. C-37



Heavy Duty Engine Clean

Heavy Duty Engine Clean and Degreaser

- Penetrating solvent formula
- Quickly removes grease & grime
- Spray on, hose off

12 16 oz. cans per case
Part No. C-30




Carb Clean

Carb Clean Pro Strength Fast Gum Cutter™

- Powerful solvent spray removes varnish, carbon & dirt Cleans to restore power & fuel economy.
- Cleans throttle plate area of fuel injected vehicles, vacuum piston, cylinder and PCV valve

12 12.5 oz. cans per case
Part No. C-1



Battery Cleaner

Battery Cleaner & Acid Leak Detector

- Cleans & helps protect battery terminals, clamps, connectors, cables & carriers
- Removes corrosion
- Locates and identifies acid leaks
- Extends battery life

12 - 12 oz. cans per case
Part No. C-120




Max Clean®

All-Purpose Foam Cleaner

- Vinyl, carpet, fabric, plastic.
- Cleans and restores color and appearance.
- Deep-cleaning foaming action.
- Spray-on - wipe off

12 22 oz. cans per case
Part No. C-192




Glass Cleaner

Glass Clean™ Streakproof Formula

- Safe for window tinting film
- Cuts grease, grime & nicotine film
- Contains no ammonia
- No run foam spray

12 23 oz. cans per case
Part No. C-31




**CYCLO HEAVY DUTY PRODUCTS****White Grease****Heavy Duty Lithium Plus Teflon Unique liquefied blend of greases**

- penetrates, then solidifies
- Long lasting
- Stays pliable
- Reduces wear
- Stops Squeaks
- Great for hinges, latches, sliding cables, etc.



12 11 oz. cans per case

Part No. C-34**Battery Protector****Heavy Duty**

- Protective red-colored coating prevents corrosion
- Soft pliable formula flows into cracks and crevices for maximum protection
- Extends battery life

12 - 11 oz.

cans per case

Part No. C-121**PROTECTIVE COATING****Undercoating**

- Rubberized. Professional Looking Textured Finish
- Fights rust
- Soundproofs
- Quick drying
- Restores protection

12 - 17 oz. net wt.

Part No. C-35**Power Steering Fluid**

- Help stop leaks and squeaks
- Smooth year-around performance
- Protects against wear

12 - 32 oz. bottles per case

Part No. C-28**Brake Fluid****Super Heavy Duty 450° F DOT 3**

- Formulated for disc and drum brakes
- Mixes with all DOT 3 brake fluids
- High-temp formula 450° F min. dry boiling point

12 - 32 oz. bottles per case

Part No. C-56**Penetrating Oil****Break • Away Fast Penetrating Oil & Lubricant**

- Penetrant & super lubricant
- Breaks loose rusted joints & bolts
- Controls rust, corrosion & squeaks

Contains no silicone

12 13 oz. cans per case

Part No. C-10

4 1 gallon containers per case

Part No. C-13**Graphite Lube - Chain / Cable****Penetrates, Coats, Protects & Preserves**

- O-ring safe
- Reduces friction and wear with a unique blend of lubricants fortified with molybdenum disulfide and graphite
- Foams on to stay in place then penetrates to provide maximum protection.

12 11.5 oz. cans per case.

Part No. C-661**Silicone Spray****Heavy Duty Greaseless Lubricant -40 to +400 Deg. F**

- Superior dry lubrication for metal, rubber, plastic
- Conditions and protects metal and rubber parts
- Seals out moisture
- More active silicone than many other brands
- Great for hinges,

12 10 oz. cans per case

Part No. C-33



HEAVYDUTYTRUCKWASHCONCENTRATE

For Industrial Use Only. Corrosive Liquid N.O.S.
(Containing Sodium Hydroxide)
8, UN-1760, PG-II, Corrosive.

Part No. 700-99-129
1 Gallon Container
4 gallons / case.



HEAVYDUTYCLEANERANDBRIGHTENER

For Industrial Use Only.
D.O.T. Corrosive Liquid N.O.S.
(Containing Hydrofluoric and Sulfuric Acid)
8, UN-1760, PG-II, Corrosive.

Part No. 700-99-130
1 Gallon Container
4 gallons / case.



A highly concentrated liquid product for use in removing old road film, diesel smoke deposits and oils/greases from pre-painted and FRP type trailers. Very effective in hard water areas. Quickly penetrates, emulsifies, and suspends contaminants. Can be used to clean and brighten aluminum and stainless steel trailers at proper dilutions. Will not harm glass or rubber but can tarnish polished or anodized aluminum. May be applied cold., do not allow to dry on surface.

A highly concentrated blend of biodegradable surfactants, inorganic mineral acids and water softening agents for use in cleaning and brightening stainless steel and aluminum trailers.
Fast acting and free rinsing.
Will damage glass and can tarnish polished or anodized aluminum. Do not allow to dry on surface.
Proper dilutions listed on container.

PENRAY PRODUCTS - CHEMICALS



Winter Thaw Emergency Fuel Treatment

Dissolves already gelled fuel fast. Reduces clogging of fuel filters. Prevents ice crystal build-up in fuel lines and filters by disbursing moisture. (32 fl. oz. treats up to 25 gal. of fuel.) Eliminates hard starting, pounding, excessive smoking and helps improve combustion. 100% compatible with low sulfur fuel and fuel blend. **Part No. 202101** Gallons, 4/CASE

Winter Pow-R Plus Diesel Fuel Treatment

ULSD compliant. Prevents gelling of diesel fuel. Prevents ice crystal formation. Helps enhance cetane. **Part No. 202032** Quarts, 12/CASE
Also available: **Part No. 202055** 55 Gallon size.



Engine coolant. Pencool® 3000 Stabil-Aid®

Pencool 3000 is an advanced cooling system treatment that helps prevent the formation of gel deposits in cooling systems. These deposits can plug radiator passages, aftercoolers, and oil coolers, and can cause excessive water pump wear. Pencool 3000 blocks the formation of this gel, conditions cooling system water, and protects all cooling system metal components from corrosive attack. Use Pencool 3000 to maintain proper cooling system heat transfer characteristics and long engine life.

Part No. 3000-PT Pints Also available: **Part No. 3000-5** 5 gallon size.



CHEMICALS - COLD WEATHER - SEASONAL

STARTING FLUID FOR GASOLINE & DIESEL ENGINES

Effective to 65F degrees below zero. 45% ether for quick starting of cold engines. Meets D.O.T. regulations.



Part No. 1010053



15 ounce can / Net wt 11 oz. / 12 cans Per Case

OTR WINTER DIESEL ADDITIVE

- Remove water and help prevent fuel line freeze-up.
- Boost Cetane for easier starting in cold weather.
- Improve lubricity extending the life of critical fuel pump parts.
- Help keep injectors clean to maintain full power.
- Provide corrosion protection for the entire fuel system.

(Stocked in some locations Only.)



CONCENTRATED!

Fuel Additive OTR Premium "20 Below" Plus 2			
Container Size	Gallons Treated	Units Per Case	Part No.
Quart	250	12	32-32-12
Gallon	1000	4	32-128-4
2.5 Gal.	5000	2	32-20-2

Air Brake Antifreeze

- With rust inhibitor.
- Protects against moisture accumulation.
- Protects seals in air system.
- Complete winter protection



Part No.	Container	Qty.
1010060	Quart	12
1010061	Gallon	6
1010062	55 Gal	1

ANTI-GEL FUEL TREATMENT

No blending with No.1 diesel or kerosene is needed to achieve maximum winter protection. The cetane improver provides up to 4 numbers of cetane boost.

•Prevents fuel gelling in temps as low as -40°!!•



Part No.	Pack	Treats
01025-12	12/1 32-Ounce	100 Gallons
01080-06	6/1 80-Ounce	250 Gallons

Diesel 9-1-1® is used to disperse water in fuel systems, de-ice frozen fuel-filters, reliquefy gelled diesel fuel and complete microbial clean-ups.

Part No. 08025-12 (12/1 32-ounce)
Part No. 08080-06 (6/1 80-ounce)



EMERGENCY FUEL TREATMENT

Designed to dissolve fuel AFTER it has gelled due to cold temperatures. Add one quart of WINTER THAW per each 25 gallons of diesel fuel in fuel tanks. DIRECTIONS:

- Remove fuel filter
- Pour WINTER THAW into the filter
- Replace filter.



Allow WINTER THAW to dissolve gelled diesel fuel and start engine. (NOTE: WINTER THAW is an emergency diesel fuel treatment and is not recommended for continuous use.)

(In stock at certain locations only.)
Part No. 2021-QT Quarts, 12/CASE



ANTIFREEZE - Extended Life Premium Reformulated Antifreeze

Antifreeze/coolant is formulated for use with any vehicle. 50/50 mix. With long-lasting inhibitors you get extended protection. 6 / Case.

Part No. 1010056 One Gallon Size



Antifreeze

Premium Antifreeze and Summer Coolant. A universal ethylene glycol formulation that meets the low silicate requirements of diesel engines. It is recommended that the entire cooling system be drained and a 50/50 mix of antifreeze and water be added to the system. This will give the vehicle a freeze protection of -34 ° F (-37 ° C).

Part No. 1010054 One Gallon Size
Part No. 1010055 55 Gallon Drum





MYSTIK® LUBRICANTS

Mystik® JT-6® Multi-Purpose and High Temp Greases
NLGI Certified GC-LB, NLGI No. 2

Mystik® JT-6® Hi-Temp Grease is an extremely versatile performer that is highly recommended for disc brake wheel bearings and is specifically approved for use in universal joints.

- Provides excellent protection for heavily loaded industrial, mining, and construction applications.
- Meets the highest performance categories of Automotive Grease Classification Systems.

Mystik® JT-6® Multi-Purpose Grease is our most water resistant and water insoluble product.

- Light-colored, low staining, and has a very low oil separation rate.
- Provides excellent anti-seize protection under high loads.
- Stays in place better than most other greases.
- It is fully rust and oxidation inhibited.

JT6®
Hi-Temp

•Hi-Temp JT-6•		
Part No.	Container	Case Qty.
1412016	14 oz. Cart.	10
1412017	120 lb. Keg	1
1412023	35 lb. Keg	1



14 oz. Tube
Part No.1412016



35 lb. container available in both!

JT6® Multi-Purpose

Multi-Purpose JT-6		
Part No.	Container	Case Qty.
1412018	14 oz. Cart.	10
1412019	120 lb. Keg	1
1412022	35 lb. Keg	1
JT-6 Spray Grease		
1412020	15 oz. Can	12



15 oz. Spray Can
 Includes delivery tube for hard to reach points.
Part No. 1412020



14 oz. Tube
Part No.1412018



JT-7 Multi-Purpose Gear Lubricant

Mystik® JT-7® Multi-Purpose Gear Lubricants can take the heat and continue to provide superior EP protection. These gear lubricants exceed the performance requirements of the latest axle and non-synchronized manual transmission specs with exceptional durability under high temperature conditions.

- Minimum gear wear, excellent deposit control and improved rust and corrosion protection under extreme service conditions

Recommended for all automotive and heavy duty axle service including break-in, add-to or make-up, drain and refill, competition service, and service fill for limited slip axles.

Mystik
For API Gear Lubricant Service:
GL-2,
GL-3,
GL-4,
GL-5,
GL-5+LS,
GL-6,
MT-1



Multi-Purpose SAE 80W-90 Gear Lubricant JT-7 AGMA Lubricant No. 4 EP		
Part No.	Container	Case Qty.
1412011	Quart.	12
1412009	35 lb. Keg	1
1412008	120 lb. Keg	1

Multi-Purpose SAE 85W-140 Gear Lubricant JT-7 AGMA Lubricant No. 4 EP		
Part No.	Container	Case Qty.
1412015	Quart.	12
1412013	35 lb. Keg	1
1412012	120 lb. Keg	1

API Service MT-1 performance denotes lubricants intended for non-synchronized manual transmissions used in buses and heavy duty trucks.



Multipurpose 75W90
120 lb. container
Part No.1412042

Extended Range 75W90
35 lb. container
Part No.1412043

**MYSTIK® LUBRICANTS****Mystik® JT-8® Synthetic Blend Super Heavy Duty Engine Oil**

A value-added synthetic blend lubricant with a carefully balanced additive system and premium base stock that gives outstanding deposit control. Recommended for commercial over-the-road fleets, construction equipment, buses, automobiles.

Benefits:

- Sludge, varnish, and control wear are minimized under the most severe service conditions.
- Provides superior soot-handling and wear protection.
- Helps to maintain long-term low emission performance.
- Offers superior high temperature protection.
- Easier starting and rapid oil flow in cold weather.

Mystik

**Mystik® JT-8®
Super Heavy Duty
Engine Oils
For API Service
CG-4, CF-4, CE,
CF-2, CD-ii, CF/SH***

*In appropriate viscosity grades



Part No.	Description	Container
1412031	15W-40	Quart
1412004	15W-40	2 Gallon
1412002	15W-40	55 Gallon
1412007	15W-50	2 Gallon

Mystik® JT-6® LO-Temp Grease is Superior Multi-Purpose, EP Lubricant with Out-Standing Low Temperature Properties. Excellent water resistant, anti-wear and rust corrosion protection. JT-6 Low-Temp is especially recommended for extremely low to medium temperatures where friction and good flow at low temperatures are required. **Part No. 1412045**



Mystik® Multi Purpose Automatic Transmission Fluid protects transmission parts against rust, corrosion, and wear. It is dyed red for leak detection and is engineered to give superior protection and performance.

Benefits: -Wide variety of transmission uses: automotive automatic transmissions, industrial torque converters, sensitive hydraulic fluid applications, power-shift transmissions, and Allison automatic transmissions.
-Excellent stability for long life service.
-Anti-wear, anti-leak, anti-foam treated.

Part No. 1412028 - 5 lb. container.

Mystik® ATF Transmission Fluid
Dexron/Merc, 1 quart.

Part No. 1412033

**Mystik****SHELL PRODUCTS**

Shell ROTELLA® T SAE 15W-40 with Advanced Soot Control is tested over millions of miles in the most extreme real-world conditions. It is a premium quality, heavy-duty multigrade oil for all-season use in diesel-powered or gasoline-powered equipment.

Part No. SH1 - 1 gallon container

Part No. SH5 - 5 gallon container



- Excellent viscosity control and shear stability.
- Outstanding engine cleanliness.
- Performance meets all requirements of today's high-performance, fuel-efficient, low-emission diesel engines operating in severe conditions.
- Excellent low-temperature flow properties.
- Enhanced high temperature oxidation stability.
- Exceptional deposit control.
- Exceptional control of valve train wear.
- Excellent engine protection and durability.
- Outstanding ability to handle soot.
- Extended oil drain capability





LUCAS OIL® PRODUCTS

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the U.S. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise, and hard shifting. It safely blends with all petroleum products, even synthetics.

Part No.	Description
L10001	Heavy Duty Oil Stabilizer Quart 12 / box
L10002	Heavy Duty Oil Stabilizer Gallon 4 / box



Lucas UCL Fuel Treatment is formulated for gasoline, diesel and LPG engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans and lubricates the fuel system. Used in diesel engines to neutralize the harmful effects of ultra low sulfur diesel fuel. This product will raise MPG.

Part No.	Description
L10003	Fuel Treatment for Diesel Quart 12 / box
L10013	Fuel Treatment for Diesel Gallon 4 / box
L10020	Fuel Treatment for Diesel 5.25 Ounce 24 / box



Lucas Red "N" Tacky is a smooth, tacky, red lithium 12HO grease fortified with a high degree of extreme pressure additives that give a TRUE Timken load much higher than other greases of this type. It stays in U-joints and resists wash-out, making it the perfect truck grease. It exceeds OEM "Lube For Life" specifications.

Part No.	Description
L10005/10	Red 'N' Tacky Grease 14.5 Ounce 10 / box



Lucas X-TRA Heavy Duty Grease completely recovers after being extremely overheated. All of the properties of Red "N" Tacky, and lasts up to four times longer than conventional lithium grease.

Part No.	Description
L10330	X-TRA Heavy Duty Grease 1 LB. Tub 12 / box

Lucas Power Steering Stop Leak is effective at removing hard spots and tightness in worn rack and pinions. Compatible with all power steering fluids.

Part No.	Description
L10008	Power Steering Stop Leak 12 ounce 12 / box
L10011	Power Steering Stop leak Quart 12 / box



Lucas Power Steering Transmission Fix cleans and lubricates sticking valves for proper shifting and controls heat and foaming.

Part No.	Description
L10009	Transmission Fix 24 ounce 12 / box



Part No.	Description
L10014	Chain Lubricant Quart 12 / box



Part No.	Description
L10019	Hydraulic Oil Booster and Stop Leak Quart. 12 / box



Part No.	Description
L10030	Fifth Wheel and Slider Lube 16 Ounce 12 / box



Part No.	Description
L10043	SAE 80W-90 Heavy Duty Gear Oil Quart 12 / box



Part No.	Description
L10076	15 / 40 TBN Truck Oil Gallon 4 / box



Part No.	Description
L10088	Stop Leak Hub Oil Quart 12 / box



Part No.	Description
L10130	Synthetic Oil Stabilizer Quart 12 / box



Part No.	Description
L10070	Air Tool Lube - Tool Box Buddy 2 ounce 18 / box

L10216	Air Tool Lube - Tool Box Buddy Pint 12 / box
---------------	---

L10392	Tool Box Buddy (Aerosol) 11 ounce 12 / box
---------------	---



**GOJO HAND CLEANERS****Orange Cleaner**

Natural Orange Pumice With Aloe and Lanolin
Thoroughly and safely cleans adhesive, asphalt, cement, grease, grime, paint, tar, and more.
One Gallon Jug, 2 per carton
Part No. 0955-02

Original Formula

Original Formula
Fortified with Lanolin.
Cleans with or without water.
4.5 lb. container
Part No. 1115-06

130 Towel Bucket Pack**Heavy Duty hand Cleaning Towels**

- Pre-moistened
- Quickly removes grease, grime, oil.
- Saves time and money.
- Safely removes soils without irritation.



Bucket
130 Premoistened 9" x 10" towels
Part No. 6298-04

Orange Cleaner

Natural Orange With Aloe and Lanolin
Quick-acting lotion formula
One Gallon Jug, 4 per carton
Part No. 0945-04

Orange Pumice Cleaner

Orange Pumice Hand Cleaner
Fortified with Lanolin. Cleans with or without water. 4.5 lb. container, 6 per carton.
Part No. 0975-06

Hand Cleaner With Pumice

Fine Italian Pumice
No. 1 choice of mechanics.
4 lb. 4 oz. container
Part No. 1135-06

Pro 2000 Cleaners

Gojo Supro Max Hand Cleaner
2000 ml. refill 4 per carton.
Fits Gojo Pro 2000 dispenser.
Part No. 7272-04
Part No. 7282-04 (Cherry)



Gojo Pro 2000 Hand Cleaner
2000 ml. refill 4 per carton.
Fits Gojo Pro 2000 dispenser.
Part No. 7295-04
Part No. 7265-04 (Green)



Gojo White and Black Pro 2000 Soap Dispenser
Heavy duty bag-in-box dispenser. 2000 ml. capacity. One hand push operation w/ reinforced mounting.
Black Part No. 7200-01
White Part No. 7205-01



SPRAY PAINT AND MISC CHEMICALS

Fleetcraft Spray Paint

A high quality quick drying spray enamel that provides uniform coverage, good adhesion. In popular colors. 12 - 11 oz. net cans per case.



Part No. Color

1210300	Gloss White
1210303	Gloss Black
1210304	Flat Black
1210306	Light Gray
1210307	Bright Silver
1210311	Bright Red
1210320	Caterpillar Yellow
1210326	Dull Aluminum
1210340	Gray Primer
1210344	Red Primer
1210346	Platinum Gray Primer
1210363	Ford Dark Blue



MRO Plus High Solids Enamels Spray Paint

A superior, lead-free industrial spray paint formulated for maintenance operations where maximum performance is required. This spray paint does not run or sag, and offers the highest solid content (40%) of any spray paint on the market for maximum coverage.

- 1020307-20 High Solids Gloss Black**
- 1020310-20 High Solids Gloss White**
- 1020312-20 High Solids Light Gray Primer**

Application range of 50° to 90°. VOC compliant.



Hi-Tech lacquer based Spray Paint

A fast drying general purpose spray paint that provides a durable finish both indoors and outdoors on most surfaces. Resistant to the effects of weather and many chemicals and cleaners. Bare surfaces or rusted metal surfaces should first be primed with the Hi-Tech primers.

- 1020314-20 Hi-Tech Lacquer based Dove Gray**

Sag Free Paint with a Quick 20 minute dry time!

BRAKE CLEANER

Cleans & degreases surface contaminants from disc, drum, ABS braking systems, and CVC joints. Net 20 oz. can. 12 per case. **Part No. BC-1**



PENETRATING FLUID

Frees everything rusted or corroded. 16 oz. spray can. 12 per case. **Part No. 075-516**



PB BLASTER

Quickly breaks loose the surface tension of frozen parts and protects against further rust and corrosion. 11oz. Penetrating Catalyst. 12 cans per case. **Part No. PB16**

